

door & wall protection products
ARCHITECTURAL AND ENGINEERED SYSTEMS


- HAND RAILS ●
- WALL GUARDS ●
- CORNER GUARDS ●



CANADIAN ARCHITECTURAL & ENGINEERED PRODUCTS

Prospect Specialties shall always be an innovator of Architectural Specialties and will strive to solve complex problems of construction industry. Architects and Consultants will be our prime focus, making sure that the ultimate client, the building owner, is happy with the final product. We will make sure that our products do not pose any threat, hassle or hurdle to the building users, tenants and visitors. We shall not shy away from modifying, altering, changing our existing product range to suit project conditions and requirements. Value engineering, being our specialty, will make sure that the projects remain within budget and to provide highest quality products at right price and deliver in time, always.

**Delivering right products
at right price**





Prospec Specialties manufactures a wide range of architectural products, all designed to meet specific needs. Our durable and attractive range of door & wall protection systems offer versatile design options.



Prospec offer door & wall protection that can be finished to perfectly match the walls. Whatever the surface, Prospec door & wall protection can blend beautifully into surrounding environment. Prospec door & wall protection systems are available in a variety of colors.

**Solving complex as well as simple
building problems for years**

'CG-1S' Corner Guards


- Superior impact protection in high abuse areas
- Coordinate interiors with mirror or brush finishes
- Offer two installation choices: Self adhesive or screw-on

- 90°, 1-1/2" (38mm) Wing size
- Available in stainless steel grade 304 or 316 in 18 gauge
- Custom sizes available
- Bullnose angle available




- Fast installations with a continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request
- Color coordinated top and bottom caps included with every unit
- Meet immediate needs with availability

- 90°, 2" (51mm) wing
- 0.08" (2mm) rigid vinyl cover
- 0.07" (1.8mm) continuous aluminum retainer
- Standard Heights: 3' (0.91m), 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)





- Fast installations with a continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request
- Color coordinated top and bottom caps included with every unit
- Meet immediate needs with availability
- 135°, 2" (51mm) wing
- 0.08" (2mm) rigid vinyl cover
- 0.07" (1.8mm) continuous aluminum retainer
- Standard Heights: 3' (0.91m), 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)





- For minimum design interruption by creating a smooth transition from wall to corner
- Fast installations with a continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request
- Meet immediate needs with availability



- 90°, 2" (51mm) wing
- 0.08" (2mm) rigid vinyl cover
- 0.07" (1.8mm) continuous aluminum retainer
- Standard Heights: 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)




- Fast installations with a continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request
- Meet immediate needs with availability
- 135°, 2" (51mm) wing
- 0.08" (2mm) rigid vinyl cover
- 0.084" (2.1mm) continuous aluminum retainer
- Standard Heights: 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)




- Fast installation, does not require any site preparation
- Color coordinated with 100 standard colors, special colors available at request
- No drilling required
- Supplied with butyl adhesive for quick installation
- Just release the protective paper and install
- Meet immediate needs with availability
- 90°, 2" (50mm) wing
- 0.08" (2mm) rigid impact resistant vinyl
- Standard Heights: 3' (0.91m), 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)



- Superior impact protection in high abuse areas
- Coordinate interiors with mirror or brush finishes
- Offer two installation choices: Self adhesive or screw-on
- 90°, 2" (51mm) Wing size
- Available in stainless steel grade 304 or 316 in 18 gauge
- Custom sizes available
- Bullnose angle available




- Fast installation, does not require any site preparation
- No drilling required
- Supplied with butyl adhesive for quick installation
- Just release the protective paper and install
- Meet immediate needs with availability
- 90°, 2" (50mm) Wing size
- Available in aluminum grade 6063-T6
- Custom sizes available
- Bullnose angle available
- Standard heights 3' (0.91m), 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)





'CG-3A' Corner Guards



- Fast installations with a continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request
- Color coordinated top and bottom caps included with every unit
- Meet immediate needs with availability
- 90°, 3" (76mm) wing
- 0.08" (2mm) rigid vinyl cover
- 0.07" (1.8mm) continuous aluminum retainer
- Standard Heights: 3' (0.91m), 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)





- Fast installations with a continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request
- Color coordinated top and bottom caps included with every unit
- Meet immediate needs with availability
- 135°, 3" (76mm) wing
- 0.08" (2mm) rigid vinyl cover
- 0.07" (1.8mm) continuous aluminum retainer
- Standard Heights: 3' (0.91m), 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)





- Fast installations with a continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request
- Color coordinated top and bottom caps included with every unit
- Meet immediate needs with availability
- 90°, 3" (76mm) wing
- 0.08" (2mm) rigid vinyl cover
- 0.07" (1.8mm) continuous aluminum retainer
- Standard Heights: 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)




- Fast installations with a continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request
- Color coordinated top and bottom caps included with every unit
- Meet immediate needs with availability
- 135°, 3" (76mm) wing
- 0.08" (2mm) rigid vinyl cover
- 0.084" (2.1mm) continuous aluminum retainer
- Standard Heights: 4' (1.22m), 8' (2.44m), 9' (2.74m), 12' (3.66m)




- Superior impact protection in high abuse areas
- Coordinate interiors with mirror or brush finishes
- Offer two installation choices: Self adhesive or screw-on
- 90°, 3" (76mm) Wing size
- Available in stainless steel grade 304 or 316 in 18 gauge
- Custom sizes available
- Bullnose angle available





- Stylishly designed handrail available in wide range of standard colors
- Solves safety concerns in Commercial, Residential, Healthcare & Hospitality environments
- Protects walls against abrasion and damage
- ADA and ANSI compliant
- Available in 3.66 LM (12') / 3 LM (10') standard lengths
- Easy for installation, Clean-up and maintenance
- 3-5/8" (92mm) height
- 0.08" (2mm) vinyl/acrylic cover
- 0.061" (1.6mm) continuous aluminum retainer
- Fasteners non-corrosive and compatible with aluminum retainers
- Color coordinated with 100 standard colors, special colors available at request





- Stylishly designed handrail available in wide range of standard colors
- Solves safety concerns in Commercial, Residential, Healthcare & Hospitality environments
- Protects walls against abrasion and damage
- ADA and ANSI compliant
- Available in 3.66LM (12') / 3LM (10') standard lengths
- Easy for installation, Clean-up and maintenance
- 3-1/2" (89mm) height
- 0.08" (2mm) vinyl/acrylic cover
- 0.071" (1.8mm) continuous aluminum retainer
- Fasteners non-corrosive and compatible with aluminum retainers
- Color coordinated with 100 standard colors, special colors available at request




- Stylishly designed handrail available in wide range of standard colors
- Decorative feature strip available in several standard colors
- Solves safety concerns in Commercial, Residential, Healthcare & Hospitality environments
- Protects walls against abrasion and damage
- ADA and ANSI compliant
- Available in 3.66 LM (12') / 3 LM (10') standard lengths
- Easy for installation, Clean-up and maintenance
- 5-1/2" (140mm) height
- 0.08" (2mm) vinyl/acrylic cover
- 0.08" (2mm) continuous aluminum retainer
- 1-1/2" (38mm) grip



- Stylishly designed handrail available in wide range of standard colors
- Solves safety concerns in Commercial, Residential, Healthcare & Hospitality environments
- Protects walls against abrasion and damage
- ADA and ANSI compliant
- Available in 3.66 LM (12') / 3 LM (10') standard lengths
- Easy for installation, Clean-up and maintenance
- 5-5/8" (143mm) height
- 0.08" (2mm) vinyl/acrylic cover
- 0.071" (1.8mm) continuous aluminum retainer
- Fasteners non-corrosive and compatible with aluminum retainers
- Color coordinated with 100 standard colors, special colors available at request




- Provides better grip ability with ergonomically designed thumb groove
- Decorative feature available in several standard colors
- Solves safety concerns in Commercial, Residential, Healthcare & Hospitality environments
- Protects walls against abrasion and damage
- ADA and ANSI compliant
- Available in 3.66 LM (12') / 3 LM (10') standard lengths
- Easy for installation, Clean-up and maintenance
- 6-1/4" (158mm) height
- 0.08" (2mm) vinyl/acrylic cover
- 0.075" (1.9mm) continuous aluminum retainer
- Fasteners non-corrosive and compatible with aluminum retainers
- Color coordinated with 100 standard colors, special colors available at request





- Provides better grip ability with ergonomically designed integrated grab rail
- Decorative feature available in several standard colors
- Solves safety concerns in Commercial, Residential, Healthcare & Hospitality environments
- Protects walls against abrasion and damage
- ADA and ANSI compliant
- Available in 3.66LM (12') / 3LM (10') standard lengths


- Easy for installation, Clean-up and maintenance
- 7-1/4" (186mm) height
- 0.08" (2mm) vinyl/acrylic cover
- 0.061" (1.6mm) continuous aluminum retainer
- Fasteners non-corrosive and compatible with aluminum retainers
- Color coordinated with 100 standard colors, special colors available at request





- Provides superior impact resistance from carts, luggage, beds and wheelchairs with continuous impact bumper mounted on continuous aluminum retainerity with ergonomically designed thumb groove
- Minimize seams with standard 12' lengths
- Offers continuous protection
- 4" (100mm) height
- 0.08" (2mm) vinyl cover
- 0.08" (2mm) continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request





- Stainless Steel Wall Guard
- Elegantly designed, available in brush and mirror finish
- Provides superior impact resistance in kitchens, corridors, or other high abuse areas
- Orders as pre-assembled units complete with end caps/returns per your specifications
- Achieve a cleaner look with hidden fasteners
- 4" [102mm] Height
- 0.25" [6.4mm] Thickness
- Available in stainless steel grade 304 or 316



- Provides superior impact resistance from carts, luggage, beds and wheelchairs with continuous impact bumper mounted on continuous aluminum retainer
- Minimize seams with standard 12' lengths
- Offers continuous protection
- 4" (100mm) height
- 0.08" (2mm) vinyl cover
- 0.08" (2mm) continuous aluminum retainer
- Color coordinated with 100 standard colors, special colors available at request



- Provides superior impact resistance from carts luggage, beds and wheelchairs with continuous impact bumper mounted on continuous aluminum retainer
- Minimize seams with standard 12' lengths
- Offers continuous protection
- Coordinate interiors with 100 standard colors
- 6" (152mm) height
- 0.08" (2mm) vinyl cover
- 0.08" (2mm) continuous aluminum retainer
- Continuous rubber Bumper




'WG-8A' Wall Guards

- Provides superior impact resistance from carts luggage, beds and wheelchairs with continuous impact bumper mounted on continuous aluminum retainer
- Wall guard available in 100 standard colors with a decorative accent strip available in various colors
- Minimize seams with standard 12' lengths
- Offers continuous protection

- 8" (200mm) height
- 0.08" (2mm) vinyl cover
- 0.08" (2mm) continuous aluminum retainer
- Continuous rubber Bumper
- Color coordinated with 100 standard colors, special colors available at request






With Optional
Accent Strip



- Provides superior impact resistance from carts luggage, beds and wheelchairs with continuous impact bumper mounted on continuous aluminum retainer
- Minimize seams with standard 12' lengths
- Offers continuous protection
- Coordinate interiors with 100 standard colors

- 8" (203mm) height
- 0.08" (2mm) vinyl cover
- 0.08" (2mm) continuous aluminum retainer
- 0.80" (2mm) continuous rubber bumper
- Color coordinated with 100 standard colors, special colors available at request







PROSPEC SPECIALTIES INC.

OPERATIONS OFFICE:

UNIT 26, 5250 SATELLITE DRIVE, MISSISSAUGA,
ONTARIO, L4W 5G5, CANADA. Tel: (905) 602-1525

CORPORATE OFFICE:

3601 HIGHWAY 7, SUITE 400, MARKHAM
ONTARIO, L3R 0M3 CANADA
Tel: (888) 749-8456 Fax: (888) 749-8455
Email: info@prospecspecialties.com
www.prospecspecialties.com